

Refrigerator

Big2

HITACHI





INVERTER × Dual Fan Cooling

- Energy Saving
- Powerful Cooling
- Stabiliser Free
- Long Cool Keeper (12 Hours)

Touch Screen Controller

Flat glass panel controls let you change the settings with a simple touch. And a wipe is all it takes to clean the tempered glass surface.



*All display functions illuminated as an example. Actual display differs depending on the settings selected.

Automatic Ice Maker

Ice cubes can be made automatically and continuously simply by filling the tank with water. *Applied to R-VG695P9MSX only



Adjustable Pocket

You can adjust the height of the pocket in two steps to match the items being stored, and there's enough room to store 2.0L bottles.

*The photo shows 550L door pockets.



Movable Twist Ice Tray

You can move the ice tray or even remove it for more convenient and efficient use of storage space.

*Applied on all other models except R-VG695P9MSX.



Mouldproof Door Gasket

Thanks to Hitachi's mouldproofing treatment, the door gasket is clean with minimal maintenance.



Tempered Glass Shelves

Scratch-proof and heat-resistant, the tempered glass shelves can even hold up to 100kg* each.

*Weight resistance of Tempered Glass.

Glass

- R-VG695P9MSX* Net 541L
- R-VG690P7MS Net 550L
- R-VG560P7MS^ Net 450L



Fresh Select



The Select Lever lets you adjust the inside temperature by switching between the two modes.



Vegetable Mode

- For storage of easily damaged soft fruits and vegetables
- Organises items by size



Dairy / Meat Mode

- Keeps meat and fish fresh
- Thaws frozen foods
- Rapidly cools drinks

Big, Moisture-Guard Vegetable Compartment



Optimum Humidity with the Moisture-Guard

Moisture-Guard on top ensures indirect cooling to maintain the optimum moisture level on the vegetables.

Optimum Humidity **92%**

*Tested by Hitachi. Differs depending on the amount and type of vegetables.



Double-Deck Vegetable Storage


Select the Vegetable mode of the Fresh Select and it becomes a second storage area for vegetables, adding an extra space.

Stylish

- R-V690P7MS Net 550L
- R-V560P7MS Net 450L



Dimensions (mm)



Refrigerator Compartment

- Fresh Select
- Big, Moisture-Guard Vegetable Compartment
- LED Light
- Adjustable Pocket
- Tempered Glass Shelves




Freezer Compartment

- Automatic Ice Maker (for R-VG695P9MSX)
- Movable Twist Ice Tray
- LED Light
- Tempered Glass Shelf

General Features

- Inverter Control
- Dual Fan Cooling
- Touch Screen Controller
- Dual Sensing Control (with Eco Thermo-Sensor)
- Nano Titanium Filter
- Mouldproof Door Gasket
- No Frost
- CFC-Free
- HFC-Free

SPECIFICATIONS

		2 Door		
		Glass		Stylish
Model		R-VG695P9MSX	R-VG690P7MS R-VG560P7MS [^]	R-V690P7MS R-V560P7MS
Image				
Net Capacity (L ^{*1})	Total	541	550 / 450	550 / 450
	Freezer	139	145 / 117	145 / 117
	Refrigerator	402	405 / 333	405 / 333
Storage Capacity (L ^{*2})	Total	541	550 / 450	550 / 450
	Freezer	139	145 / 117	145 / 117
	Refrigerator	402	405 / 333	405 / 333
Refrigerator Compartment	Fresh Select	•	•	•
	Adjustable Shelves	•	•	•
	Crisper Shelf	Glass	Glass	Glass
	Tempered Glass Shelves	3	3	3
	LED Light	•	•	•
Vegetable Compartment	Big, Moisture Guard	•	•	•
Freezer Compartment	Automatic Ice Maker	•	–	–
	Movable Twist Ice Tray	–	•	•
	Quick Freezing	•	•	•
	Tempered Glass Shelf	•	•	•
	LED Light	•	•	•
General Features	Inverter Control	•	•	•
	Electronic Control	•	•	•
	Dual Fan Cooling	•	•	•
	Dual Sensing Control (with Eco Thermo-Sensor)	•	•	•
	Touch Screen Controller	•	•	•
	Nano Titanium	•	•	•
	Door Alarm	•	•	•
	CFC Free	•	•	•
	HFC Free	•	•	•
Refrigerant	R-600a	R-600a	R-600a	
Power Supply (V, Hz)	220-240, 50	220-240, 50	220-240, 50	
Plug	BS 3PIN	BS 3PIN	BS 3PIN	
Dimensions (mm)	Width	855	855 / 715	855 / 715
	Height	1,835	1,835	1,835
	Depth (Without Handle)	740	740	740
Colour		Glass Black (GBK) Glass Gray (GGR)	Glass Black (GBK) [^] Glass Pure White (GPW) [^] Glass Gray (GGR)	Brilliant Black (BBK) Brilliant Silver (BSL)

*1 Based on IEC 62552-3:2015 Standard Volume

*2 Based on ISO 15502:2005 Standard Storage Volume