## Washing Machine

## HITACHI





## **Powered Inverter**

## **Smart Control for Energy Saving**

Thanks to inverter control, the tub and pulsator rotation speeds can be precisely adjusted for optimum energy-saving operation when washing both small and large loads.

POWERED



# **Surprising ly Bright**

## **Ultra Power**

**Powerful Jets and 4-Step Washing** 

Hitachi top loading washing machines remove dirt and stains with powerful water jets and 4-step washing.

## **Powerful Jets**

Besides agitation of clothes with a pulsator, powerful water jets reach items at various water levels and circulate them vertically and horizontally for a multi-directional washing effect.

## 4-Step Wash

Thoroughly penetrates deep into fabrics to effectively remove stubborn stains by controlling the water level to dissolve the detergent in 4 steps and to maximize cleaning power.



Dissolve Dissolves the detergent

at the lowest water level

\*Images are for Dual Jet S

Step 2 Penetrate detergent liquid to penetrate eep into the fabrics



Step 4 Remove emoves stubborr dirt at the normal water level

## **Clean Inside Auto Self Clean-The Tub Stain Fighter**

## **Allergy UK Approved** 99% Mould & Bacteria Reduction

A shower of clean water cleans both the tubs as the stainless steel tub rotates at high speed to powerfully agitate water in the tub and clean off dirt





of the outer tub Behind the

of the

outer t

Outeir

O Tested by Kitasato Research Center for Environmental Science. Obocument Number: 26,0100 O Test method: Measurement of the reduction rate of germs smeared on plates that are attached to the outer tub and drum. OMeans for germs removal: Use of the Auto Self Clean function. O Test objects: Outer tub and drum. O Test result: Germs reduction rate: 99%. Obocument Number: 26,1100 O Test method: Confirmation of the inhibitory effect of mould growth on medium outer tuber at otherback the back drut who and drum. OMeans for genuenting and de south Use of the Auto O feld Clean to the state the outer tube and drum. O Means for genuenting and de south Use of the Auto O feld Clean to the back of the back drut who and drum.

olates that are attached to the outer tub and drum. OMeans for preventing mold growth: Use of the Auto Self Clean ction. OTest objects: Outer tub and drum. OTest result: Mould reduction rate: 99%

\*Allergy UK Approved feature are not applicable to the Compact Series models and Air Jet Dry Series models \*\*Auto Self Clean feature not applicable to the Compact Series models and NW-75WYS







With Auto Self Clean

Without Auto Self Clean

## Hot Wash Thorough Washing with Hot Water / Steam

The built-in heater produces 40 / 60°C hot water and high temperature steam. This keeps your items fresh and odour free.

## Prewash+



## **No Hand Wash**


When the Prewash cycle ends, water with dirt is spin drained off once. Then you can simply add your normally soiled clothes and wash them all at one go with fresh water.



## **60°C Allergy Care**

60°C water is ideal for eliminating the bacteria that get into the fabrics. With Hitachi's 60°C Allergy Care, 99.99% of the bacteria are eliminated and odours are removed.

OTested by Kitasato Research Center for Environmental Science. ODocument Number : 2018\_0148 OTest method: Measurement of the rate of decrease of bacteria on plates attached to the test cloth when using the 60°C Allergy Care course. OTest result: Bacteria reduction rate of 99.99%.







## 40°C Stain Care

With sweat comes oil (sebum), which causes yellow stains. The enzymes in the washing detergent are activated by the 40°C water, which effectively removes the stain-causing oil. \*Applies to the SF-160ZCV only.

○Tested by Kitasato Research Center for Environmental Science. ○Document Number : 2018\_0181 ○Test method: Measurement of the rate of decrease of bacteria on plates attached to the test cloth when using the 40°C Stain Care course. ○Test result: Bacteria reduction rate of 99.9%.

Bacteria Reduction



## **Powerful Dual Jet**

Besides agitation of clothes with a pulsator, powerful dual jets falling at two different levels reach items at various water levels and circulate them vertically and horizontally for a multi-directional washing effect.



### Easy Dissolver

Powerfully dissolves powder detergent to minimize residue.

## Easy Refresh

## **Easy Refresh**

With high temperature steam generated by the built-in heater, it removes unpleasant odors such as cigarette smoke without washing. \*Applies to the SF-160ZCV only. \*Tested by Hitachi





## **Stylish Design**

Features a control panel located on top at the back. Positioning it here means it's in your line of sight, thus making operating and handling of clothes easier.

## **Easy Operation Control** - Direct Program Buttons

Direct program buttons let you select a course or option with a simple one-touch operation.







## **Easy Handling**

### **Ergonomic Glass Top Design**

The built-in spring and damper let you open and close the lid with just a light touch.

## **Sleek Opening**

Sleek opening design makes loading and unloading clothes easy and hassle-free.

## **Easy Lint Disposal**

With newly added pointed projections, the wide filter ensures the capture and easy disposal of lint.

**Control Panel** 



#### SF-160ZCV 16kg





**Control Panel** 



### SF-130TCV 13kg

POWERED **INVERTER** 





#### Features

- Auto Self Clean
- 60°C Allergy Care
- 40°C Stain Care Easy Refresh
- Prewash+

#### • 3-Step Eco Sensor

- Water Power Control
- Shower Plus
- Memory Option
- Tangle-Free Finish
- Dimensions (mm)

#### [Top]



[Front] [Side] 155

#### Features

- Auto Self Clean
- Prewash+
- · 3-Step Eco Sensor
- Water Power Control

#### Dimensions (mm)


#### [Top]



- Shower Plus • Tangle-Free Finish
- •11 Programs
- Delay Timer








Fully Auto Restart

• Auto Power Off

- •14 Programs
- Delay Timer
- Fully Auto Restart
- Auto Power Off



## **Dynamic Wide Shower**



Efficient circulation of a large volume of water effectively removes dirt and stains from deep in fibers without damaging fabrics. \*Comparison of SF-100XAV and SF-105SS


## **3-Step Eco Sensor**

Laundry amount and fabric type are detected in three steps to enable setting of the optimum washing conditions. The result is precise sensing to assure there's no wasted time, electricity or water. \*Applies to the inverter models only.



are wet.

## **Easy Maintenance**



Each part is designed for easy maintenance to keep it clean without any dirt and lint left.

Load Detection For calculating the required amount of water and time.



Detection

#### **Control Panel**



## SF-120XAV 12kg SF-100XAV 10kg

POWERED INVERTER





SF-140XAV 14kg

POWERED






Features	

• Auto Self Clean 3-Step Eco Sensor Water Power Control

 Shower Plus • 9 Programs

• Delay Timer Tangle-Free Finish Fully Auto Restart Auto Power Off

#### Dimensions (mm)



SF-110XA 11kg





\* Powered Inverter is applicable to the -XAV models

#### Features

- Auto Self Clean
- 3-Step Eco Sensor
- Water Power Control

#### • Shower Plus Tangle-Free Finish

• 9 Programs


- Delay Timer
- Fully Auto Restart • Auto Power Off

#### Dimensions (mm)










#### Features

- Auto Self Clean
- Water Power Control
- Shower Plus

#### • Tangle-Free Finish • 9 Programs • Delay Timer

 Fully Auto Restart • Auto Power Off





## 9-8kg



Energy Save

• Small Load

 $\Diamond$ 

Eco

**Control Panel** 

## **Beat Shower**

With powerful showers from two outlets in the drum, the Active Beat Lifter circulates water and agitates clothes to prevent tangling and ensure thorough washing and rinsing.

**Eco Button** 

**Energy Save Mode** 

34% Energy Saving

Small Load Mode 44% Water Saving

\*Tested by Hitachi using the SF-80XA. Comparison between Fuzzy Program's standard (149Wh) and Energy Save (98Wh) modes.

\*Tested by Hitachi using the SF-90XA. Comparison between the lowest water level of the Fuzzy Program's standard (72L) and Small Load (40L) modes.



## **Active Beat** Lifter

The unique Active Beat Lifter pushes clothes up and down to agitates fabrics well to further provide thorough washing and rinsing while minimizing tangling.

## Water Save Program

Using the Water Save Program when you want to quickly wash lightly soiled items saves 42%\* more water than the Fuzzy Program. \*Tested by Hitachi using the SF-90XA.



2-Step Wash

Makes it easier to remove the dirt without damaging fabrics.

### **Eco Programs**

Provide you with more eco-friendly options for washing, depending on the amount or conditions of items.



\*Tested by Hitachi. Comparison between Fuzzy Program (104L) and Water Save Program (60L)

42% Water Saving

\*Tested by Hitachi. Comparison between Fuzzy Program (105Wh) and Energy Save Program (80Wh)

#### Control Panel









- Energy Save

- Small Load Fragrance Program

• Tangle-Free Finish

Fully Auto Restart

• Delay Timer · Auto Power Off




SF-90XA 9kg

#### Features

 Water Save Program • Energy Save Mode • Small Load Mode • Tangle-Free Finish 11 Programs Delay Timer • Fully Auto Restart • Auto Power Off







#### Fragrance Program

This program informs you of when you can add the softener during the rinse cycle\*, so that the fragrance remains on clothes and the finish is softer.

\*Softener needs to be added manually. The timing differs depending on the program settings.




\*Tested by Hitachi. Comparison between Fuzzy Program (85Wh) and Small Load Program (54Wh), each with 0.6kg load.

**36%** Energy Saving

Dimensions (mm)





#### Air Jet Dry Series

## **Tangle-Free Finish**



When the spin cycle ends, the pulsator repeatedly moves clockwise and counterclockwise, first making items fall off the tub wall and thus untangling them. This unique Hitachi feature makes it much easier to take clothes out of the tub. And minimal tangling means few winkles on clothes.

\*Tangle-Free Finish will not be activated with certain load capacities or settings.





Tangle-Free Finish



### Sensor Lock Safety System

The sensor detects if the lid is opened or closed and locks it for your safety.



#### Delay Timer

You can set your wash to finish from 3 to 12 hours later as desired.



### Auto Power Off

When the washing machine finishes operating, power is automatically switched off.



#### **12-Level Water Selector**

Water level is automatically selected to match your wash load. You can also manually select a desired level.



Even if there's a power outage or power is shut off part way through a wash, the cycle (wash/rinse/spin) at the time is memorized. When power is restored, the same cycle automatically restarts.

\*For Ultra-Stream Wash series, press Power then Start to restart from the memorized cycle.


### Level Indicator

This feature makes it easy to install the washing machine horizontally.



## Water Save Program

Compared to the regular method of rinsing clothes by simply adding water and agitating them with a pulsator, Hitachi's Spin Shower Rinse enables rinsing with much less water. Using the Water Save program when you want to quickly wash lightly soiled items saves 45.6% more water than the Fuzzy program! The Water Save program was given the highest ticks by the Water Efficiency Labeling Scheme (WELS) in Singapore. \*Applies to the NW-75ES.






## Air Jet Dry

No matter what the season, this high-speed air drying system dries your washing faster and cleaner. Fresh air is drawn into the drum, first passing through a Nano Titanium filter that removes odour-causing molecules. The air creates a high-speed vortex that evaporates moisture far more efficiently than regular spin cycles.


## **Clean Menu**



There is a Clean Menu function for you to select either Tub Clean or Tub Dry options.

## Safety Open-Lid Mechanism

Featuring Hitachi's new safety open-lid, the lid stops between a 35° space when it is fully opened. Now you can remove items from the washing machine without getting your fingers QANANT the BW-VIDSES.



## **Other Features**

## Delay Timer

You can set your wash to finish from 3 to 12 hours later as desired.





### **Auto Power Off**

When the washing machine finishes operating, power is automatically switched off.

## **Convenient Functions**

## Tangle-Free Finish



When the spin cycle ends, the pulsator repeatedly moves clockwise and counterclockwise, first making items fall off the tub wall and thus untangling them. This unique Hitachi feature makes it much easier to take clothes out of the tub. And minimal tangling means few winkles on clothes.

Tangle-Free Finish will not be activated with certain load capacities or settings.



## Easy Maintenance / Safety System



Anti-Bacterial Lint Filter The easily dirtied lint filter features an antibacterial agent.

\*Applies to the NW-75ES.

## Sensor Lock Safety System



The sensor detects if the lid is opened or closed with a lid lock.

7.5kg

INVERTER AUTO SELF CLEAN

BW-V105ES 10.5kg



NW-75ES 7.5kg

White

## **Level Indicator**

This feature makes it easy to install the washing machine on a horizontal level.


#### Features

- Inverter Control
- 4-Step Wash
- Ultra-Stream Shower
- 5-Level Water Selector
- Level Indicator
- Variable Spin Control
- Air Jet Dry
- Tangle-Free Finish
- Memory Program
- Delay Timer
- Auto Self Clean
- Clean Menu
- Anti-Bacterial Lint Filter
- Auto Power Off
- Standby Power Zero Watt









#### Features

- 4-Step Wash
- Dual Penetration Shower
- 6-Level Water Selector
- Level Indicator
- AirJet Dry
- Tangle-Free Finish
- Delay Timer

#### Dimensions (mm)










- Anti-Bacterial Lint Filter
- Nano Titanium Air Jet Filter
  One Touch Air Jet Dry Button
- One Touch Air Jet Dry Butto
- Auto Power Off
- Water Save Program
- Standby Power Zero Watt



#### SPECIFICATIONS

Top Loading Washer		Dual Je	et Series	Dynamic-Stream Wash Series				Compact Series		Air Jet Dry Series		
			]		J					]	-	·
Model			SF-160ZCV	SF-130TCV	SF-140XAV	SF-120XAV	SF-100XAV	SF-110XA	SF-90XA	SF-80XB	BW-V105ES	NW-75ES
Washing Capacity (kg)									9 9	8		
Inverter Control			16	13	14	12	10	11	9	o 	10.5	7.5
	Westing Deces		-					_			-	
Washing Functions	Washing Process		4-Step Wash		4-Step Penetration Wash			4-Step Wash	2-Step Wash	4-Step Wash		
	Shower			l Jet	@(101 I)		Dynamic Wide Shower		Beat Shower	-	Ultra-Stream Shower	Dual Penetration Showe
	Water Level Selector		(12 levels)	(12 levels)	(12 levels)	(12 levels)	(12 levels)	(12 levels)	(12 levels)	(6 levels)	(5 levels)	(6 levels)
0.1.5	3-Step Eco Sensor		•		•	•	•	-	-	-	-	-
Spin Function	Max. Spin Speed (r/min)		730	730	750	750	750	700	600	650	1,000	850
	Variable Spin Control			_	_	-	_	_	_	_		-
	Air Jet Dry (Spin Time)		-	_	_	-	-	_	-	_	(30/60/120/180min)	(60/120min)
	Tangle-Free Finish		•		•	•	•	•	•	•	•	
Useful Functions	4-Button Control (Shower Pl	us & Water Power)	•		•	•	•	•	-	-		-
	Prewash+		•	•	_	-	-	-	-	-	-	-
	Eco Button			-	-	-	-	-	•	-	_	-
	Memory		•	-	-	-	-	-	-	-	•	-
	Delay Timer		•		•		•		•		•	
	Detergent Select			_	_	—	—	_	_	-	•	—
Clean Functions	Auto Self Clean		•						_	-		—
	Allergy UK Approved		•						-	-	_	-
	Tub Clean		•		•	•	•	•	•		•	•
	Tub Dry		•		•	•	•	•	•	_	•	•
	Antibacterial Material		Lint Filter	Lint Filter	Lint Filter	Lint Filter	Lint Filter	Lint Filter	Lint Filter	Lint Filter	Lint Filter	Lint Filter
	Sliding Lint Filter		_	_	_	_	_	_	_	-		_
Washing Programs	No. of Program		14	11	9	9	9	9	11	9	11	8
Structure	Built-in Heater		•	_	_	_	_		_		_	_
	Touch Control Panel		•	•	_	_	-	_	_	_	_	_
	Push Open Assisted Top			_	_	_	-	_	_	_	_	_
	Tempered Glass Lid		•	•	•	•	•	•	•			
	Display		LED	LED	LED	LED	LED	LED	LED	LED	LED	LED
	All-in-One Detergent Draw	er	•							_		
	Easy Dissolver		•	•	_	_		_	_	_		
	Easy Lint Disposal		•	•	_	_		_		_		
Auto Restart			•	•	•	•	•	•	•	•	_	_
Auto Power Off			•	•	•	•	•	•	•	•	•	•
Sensor Lock Safety System			•	•	•	•	•		•		•	
Energy Consumption		(Wh / Cycle)	134	122	114	110	106	122	149	105	66.0	124.7
Energy consumption	Fuzzy Program*1	(Wh / kg)	8.4	9.4	8.1	9.2	10.6	11.1	16.6	13.1	6.3	16.6
		(Wh / Cycle)	83	80	-	- 5.2	-	_	98	80	-	-
	Energy Save Program	(Wh / kg)	5.2	6.2	_	_	_	_	10.9	10.0		_
Water Consumption	Fuzzy Program*1	(L / Cycle)	190	175	178	166	154	169	110	10.0	128.0	116.0
		(L / kg)	11.9	13.5	12.7	13.8	15.4	15.4	12.2	13.0	12.2	15.5
		(L / Cycle)	128	13.5	12.7	98	82	90	63	60		59.7
	Water Save Program	(L / kg)	8.0	8.9	8.1	8.2	8.2	8.2	7.0	7.5		59.7 8.0
Dimensions (WxHxD, mm)*2		(L/ NY)		8.9 640×1,047×684		8.2 590×1,065×634	8.2 590×1,065×634	8.2 590×1,065×634	7.0 590×1,059×600	7.5 530×986×535		8.0 577×1,020×540
			640×1,087×684		590×1,122×634		J9U × 1,000 × 034					
Body Colour			Stainless Look	Silver	40.7.45	Silver	00 / 10	Cool Gray		/hite		hite
Weight (Net / Gross, kg)			49 / 54	47 / 52	42 / 46	39 / 43	39 / 43	41 / 46	34 / 38	32 / 35	41 / 45	34/39

\*1 The Fuzzy Program is a standard program. \*2 Including drain hose and water supply hose.

Arçelik Hitachi Home Appliances Sales (Singapore) Pte. Ltd. T: +65 65362520 F: +65 65362521 Email: enquiries.ahsg@arcelik-hitachi.com Website: hitachi-homeappliances.com/sg

Printed Date: 7<sup>th</sup> June 2023. All models & specifications in content are subjected to change without prior notice. Colour tone of actual products may differ from those shown in this catalogue.