
### Specifications


|   |  |                            |  | Gidi ludi   | rd Series   |   |  |
|---|--|----------------------------|--|---|---|---|--|
| Model   |  |                            | BD-80CVE   | BD-70CVE  | BD-80CE   | BD-70CE   |  |
| Washing Capacity (kg)   |  |                            | 8.0  | 7.0   | 8.0   | 7.0   |  |
| Inverter Control  |  |                            | •  | •   | -   | -   |  |
| Vashing Functions   | Washing Process  | S                          | -  | -   | -   | -   |  |
|   | Intelligent Water Level Sensor   |                            | •  | •   | •   | •   |  |
|   | Sensor<br>Systems  | Water Temperature Sensor   | •  | •   | •   | •   |  |
|   | Oysterns   | 3D Vibration Sensor        | _  | -   | -   | -   |  |
|   |  | Load Sensor                | •  | •   | •   | •   |  |
|   |  | Revolution Sensor          | •  | •   | •   | •   |  |
|   |  | Foam Detection Sensor      | •  | •   | •   | •   |  |
|   | Vibration  | 4-Ply Liquid Load Balancer | -  | -   | -   | -   |  |
|   | Control System   | Hydraulic Suspensions      | -  | -   | -   | -   |  |
|   | Self Correction System   |                            | •  | •   | •   | •   |  |
| Spin Function   |  | Max. Spin Speed (r/min)    | 1,200  | 1,200   | 1,200   | 1,200   |  |
|   |  | Variable Spin Control      | •  | •   | •   | •   |  |
| Jseful Functions  |  | Tangle-Free Finish         | •  | •   | •   | •   |  |
|   | Memory   |                            | •  | •   | •   | •   |  |
|   | Timer  | Water Terresport           |  |   | ÷   |   |  |
|   | Option   | Water Temperature          | Cold / 20°C / 30°C /<br>40°C / 60°C / 90°C   | Cold / 20°C / 30°C /<br>40°C / 60°C / 90°C  | Cold / 20°C / 30°C /<br>40°C / 60°C / 90°C  | Cold / 20°C / 30°C<br>40°C / 60°C / 90°   |  |
|   |  | Spin Speed (r/min)         | 0 / 400 / 600  | 0 / 400 / 600   | 0 / 400 / 600   | 0 / 400 / 600   |  |
|   |  |                            | 800 / 1000 / 1200  | 800 / 1000 / 1200   | 800 / 1000 / 1200   | 800 / 1000 / 1200   |  |
|   |  | Intensive                  | -  | -   | -   | -   |  |
|   |  | Stain Level                | High / Mid / Low   | High / Mid / Low  | High / Mid / Low  | High / Mid / Low  |  |
|   |  | Prewash                    | •  | •   | •   | •   |  |
|   |  | Extra Rinse                | •  | •   | •   | •   |  |
|   |  | Rinse Hold                 | -  | -   | -   | -   |  |
| Clean Functions   | Auto Self Clean (Allergy UK Approved)  |                            | -  | -   | -   | -   |  |
|   | Tub Clean  |                            | ● (90°C)   | ● (90°C)  | ● (90°C)  | • (90°C)  |  |
|   | Antibacterial Material   |                            | Gasket   | Gasket  | Gasket  | Gasket  |  |
|   | Door Clean   |                            | •  | •   | •   | •   |  |
| Vashing Programs  |  | No. of Program             | 15   | 15  | 15  | 15  |  |
|   |  |                            | Cotton / Mix<br>Daily 45/ Daily 60<br>Rapid 15<br>Synthetic / Delicate<br>Outdoor / Duvet<br>Cotton Eco / Wool<br>Baby Care / Memory       | Cotton / Mix<br>Daily 45 / Daily 60<br>Rapid 15<br>Synthetic / Delicate<br>Outdoor / Duvet<br>Cotton Eco / Wool<br>Baby Care / Memory | Cotton / Mix<br>Daily 45 / Daily 60<br>Rapid 15<br>Synthetic / Delicate<br>Outdoor / Duvet<br>Cotton Eco / Wool<br>Baby Care / Memory | Cotton / Mix<br>Daily 45 / Daily 60<br>Rapid 15<br>Synthetic / Delicat<br>Outdoor / Duvet<br>Cotton Eco / Woo<br>Baby Care / Memo |  |
|   |  |                            | Tub Clean<br>Rinse & Spin<br>Spin  | Tub Clean<br>Rinse & Spin<br>Spin   | Tub Clean<br>Rinse & Spin<br>Spin   | Tub Clean<br>Rinse & Spin<br>Spin   |  |
| Structure   | Heat Protective (  | Cover                      | Tub Clean<br>Rinse & Spin  | Tub Clean<br>Rinse & Spin   | Rinse & Spin  | Rinse & Spin  |  |
| Structure   | Heat Protective (<br>Control Panel   | Cover                      | Tub Clean<br>Rinse & Spin  | Tub Clean<br>Rinse & Spin   | Rinse & Spin  | Rinse & Spin  |  |
| Structure   | Control Panel<br>Detergent Drawe   |                            | Tub Clean<br>Rinse & Spin<br>Spin  | Tub Clean<br>Rinse & Spin<br>Spin   | Rinse & Spin<br>Spin<br>–   | Rinse & Spin<br>Spin<br>–   |  |
|   | Control Panel  |                            | Tub Clean<br>Rinse & Spin<br>Spin<br>LED / Knob<br>All-in-One  | Tub Clean<br>Rinse & Spin<br>Spin<br>LED / Knob<br>All-in-One   | Rinse & Spin<br>Spin<br>LED / Knob<br>All-in-One  | Rinse & Spin<br>Spin<br>–<br>LED / Knob<br>All-in-One   |  |
| Reload  | Control Panel<br>Detergent Drawe<br>Softener Drawer  |                            | Tub Clean<br>Rinse & Spin<br>Spin<br>–<br>LED / Knob   | Tub Clean<br>Rinse & Spin<br>Spin<br>–<br>LED / Knob  | Rinse & Spin<br>Spin<br>–<br>LED / Knob   | Rinse & Spin<br>Spin<br>–<br>LED / Knob   |  |
| Reload<br>Standby Power Zero  | Control Panel<br>Detergent Drawe<br>Softener Drawer  |                            | Tub Clean<br>Rinse & Spin<br>Spin<br>LED / Knob<br>All-in-One  | Tub Clean<br>Rinse & Spin<br>Spin<br>LED / Knob<br>All-in-One   | Rinse & Spin<br>Spin<br>LED / Knob<br>All-in-One  | Rinse & Spin<br>Spin<br>–<br>LED / Knob<br>All-in-One   |  |
| Reload<br>Standby Power Zero<br>Auto Restart  | Control Panel<br>Detergent Drawe<br>Softener Drawer  |                            | Tub Clean<br>Rinse & Spin<br>Spin<br>LED / Knob<br>All-in-One  | Tub Clean<br>Rinse & Spin<br>Spin<br>LED / Knob<br>All-in-One   | Rinse & Spin<br>Spin<br>LED / Knob<br>All-in-One  | Rinse & Spin<br>Spin<br>LED / Knob<br>All-in-One  |  |
| Reload<br>Standby Power Zero<br>Auto Restart<br>Auto Power Off  | Control Panel<br>Detergent Drawe<br>Softener Drawer  |                            | Tub Clean<br>Rinse & Spin<br>Spin<br>-<br>LED / Knob<br>All-in-One<br>-<br>-   | Tub Clean<br>Rinse & Spin<br>Spin<br>LED / Knob<br>All-in-One   | Rinse & Spin<br>Spin<br>LED / Knob<br>All-in-One  | Rinse & Spin<br>Spin<br>-<br>LED / Knob<br>All-in-One<br>-<br>-   |  |
| Reload<br>Standby Power Zero<br>Auto Restart<br>Auto Power Off<br>Child Lock  | Control Panel<br>Detergent Drawe<br>Softener Drawer  |                            | Tub Clean<br>Rinse & Spin<br>Spin<br>-<br>LED / Knob<br>All-in-One<br>-<br>-   | Tub Clean<br>Rinse & Spin<br>Spin<br>-<br>LED / Knob<br>All-in-One<br>-<br>-  | Rinse & Spin<br>Spin<br>LED / Knob<br>All-in-One<br>-<br>-  | Rinse & Spin<br>Spin<br>-<br>LED / Knob<br>All-in-One<br>-<br>-   |  |
| Reload<br>Standby Power Zero<br>Auto Restart<br>Auto Power Off<br>Child Lock<br>Safety lock   | Control Panel<br>Detergent Drawe<br>Softener Drawer<br>W   |                            | Tub Clean<br>Rinse & Spin<br>Spin<br>-<br>LED / Knob<br>All-in-One<br>-<br>-   | Tub Clean<br>Rinse & Spin<br>Spin<br>-<br>LED / Knob<br>All-in-One<br>-<br>-<br>-   | Rinse & Spin<br>Spin<br>LED / Knob<br>All-in-One<br>-<br>-<br>•   | Rinse & Spin<br>Spin<br>-<br>LED / Knob<br>All-in-One<br>-<br>-   |  |
| Structure<br>Reload<br>Standby Power Zero<br>Auto Restart<br>Auto Power Off<br>Child Lock<br>Safety lock<br>Energy Consumption<br>Water Consumption         | Control Panel<br>Detergent Drawer<br>Softener Drawer<br>W  |                            | Tub Clean<br>Rinse & Spin<br>Spin<br>-<br>LED / Knob<br>All-in-One<br>-<br>-<br>-<br>0<br>0<br>0.64  | Tub Clean<br>Rinse & Spin<br>Spin<br>-<br>LED / Knob<br>All-in-One<br>-<br>-<br>-<br>0<br>0.56  | Rinse & Spin<br>Spin<br>LED / Knob<br>All-in-One<br>-<br>-<br>0<br>0<br>0.82  | Rinse & Spin<br>Spin<br>-<br>LED / Knob<br>All-in-One<br>-<br>-<br>-<br>0<br>0.74   |  |
| Reload<br>Standby Power Zero<br>Auto Restart<br>Auto Power Off<br>Child Lock<br>Safety lock<br>Energy Consumption<br>Water Consumption                      | Control Panel<br>Detergent Drawer<br>Softener Drawer<br>W  |                            | Tub Clean<br>Rinse & Spin<br>Spin<br>-<br>LED / Knob<br>All-in-One<br>-<br>-<br>-<br>0<br>0.64<br>43                                       | Tub Clean<br>Rinse & Spin<br>Spin<br>-<br>LED / Knob<br>All-in-One<br>-<br>-<br>-<br>0.56<br>34                                       | Rinse & Spin<br>Spin<br>LED / Knob<br>All-in-One<br>-<br>-<br>0<br>0.82<br>45   | Rinse & Spin<br>Spin<br>LED / Knob<br>All-in-One<br>-<br>-<br>0.74<br>38  |  |
| Reload<br>Standby Power Zero<br>Nuto Restart<br>Nuto Power Off<br>Child Lock<br>Safety lock<br>Energy Consumption<br>Vater Consumption                      | Control Panel<br>Detergent Drawer<br>Softener Drawer<br>W  | er                         | Tub Clean<br>Rinse & Spin<br>Spin<br>-<br>LED / Knob<br>All-in-One<br>-<br>-<br>-<br>0<br>0<br>0.64  | Tub Clean<br>Rinse & Spin<br>Spin<br>-<br>LED / Knob<br>All-in-One<br>-<br>-<br>-<br>0<br>0.56  | Rinse & Spin<br>Spin<br>LED / Knob<br>All-in-One<br>-<br>-<br>0<br>0<br>0.82  | Rinse & Spin<br>Spin<br>-<br>LED / Knob<br>All-in-One<br>-<br>-<br>-<br>0<br>0.74   |  |
| Reload<br>Standby Power Zero<br>Auto Restart<br>Auto Power Off<br>Child Lock<br>Safety lock<br>Energy Consumption<br>Water Consumption<br>Dimensions (mm)*2 | Control Panel<br>Detergent Drawer<br>Softener Drawer<br>W<br>W<br>h (kWh / Cycle)*1<br>(L / Cycle)*1 |                            | Tub Clean<br>Rinse & Spin<br>Spin<br>-<br>LED / Knob<br>All-in-One<br>-<br>-<br>-<br>0.64<br>43<br>595 x 570 x 845<br>-<br>635 x 585 x 870 | Tub Clean<br>Rinse & Spin<br>Spin<br>-<br>LED / Knob<br>All-in-One<br>-<br>-<br>-<br>0.56<br>34                                       | Rinse & Spin<br>Spin<br>LED / Knob<br>All-in-One<br>-<br>-<br>0<br>0<br>0.82<br>45<br>595 x 570 x 845<br>-<br>635 x 585 x 870         | Rinse & Spin<br>Spin<br>LED / Knob<br>All-in-One<br>-<br>-<br>0.74<br>38  |  |

\*1 Based on COMMISSION DELEGATED REGULATION (EU) No 1061 / 2010 \*2 Including drain hose and water supply hose

#### Dimensions (mm)



\*Max. depth when the door is closed: 620



500 \*Max. depth when the door is closed: 550

#### Arçelik Hitachi Home Appliances Sales (Singapore) Pte. Ltd.

T: +65 65362520 F: +65 65362521 Website: hitachi-homeappliances.com/sg

Printed Date: 25<sup>th</sup> February 2022. All models & specifications in content are subjected to change without prior notice. Colour tone of actual products may differ from those shown in this catalogue.

7.0 kg

[Front]

# Washing Machine

Front Loading







# Wind Iron Smooth Out Wrinkles with a High-Speed Airflow of Approx. 270km/h<sup>\*1</sup>

The high-speed airflow of approx. 270 km/h<sup>-1</sup> generated by the Jet Fan Drying System is applied to the clothes and by spreading it out within the large drum capacity of approx. 80 litres, dries the clothes while smoothing out wrinkles.




# Wind Iron Technology



The image is for illustrative purposes only.

-1 Jet Fan Drying System

Generates a high-speed airflow of approx. 270 km/h.\*1



 Large air volume flow path structure.
 (2) Large Drum Capacity of Approx. 80 Litres with a Diameter<sup>\*2</sup> of Approx. 530 mm

Large drum capacity to spread out the clothes.

\*1 Tested by Hitachi. The speed near the air outlet calculated from the area of the air outlet and wind volume. \*2 Diameter of the inside of the drum.

# **Wrinkleless Clothes**

Effortless laundry by reducing the work of ironing. The high-speed airflow smooths out wrinkles, and you can wear clothes directly out of the washing machine.

| Drying-finish                     | Drying<br>Capacity |
|-----------------------------------|--------------------|
| Ready to wear without ironing.    | 1 <sub>kg</sub>    |
| This good, without ironing.       | 3 <sub>kg</sub>    |
| Few wrinkles even in heavy loads. | 5 <sub>kg</sub>    |

# Fluffier Touch than Sun-Dried

Make a difference in the fluffiness of your towels.

\*3 Tested by Hitachi. Tested model and program: Comparison between the model BD-D80CVE without Wind Iron / Cotton / Dry Only 3 kg and BD-D120XGV with Wind Iron / AI Wash / Wash & Dry 3 kg. The performance may differ depending on the amount of clothes and materials and items being dried together.
\*4 Tested by Hitachi. Tested Model: BD-D120XGV. Tested Program: AI Wash / Wash & Dry. The performance may differ depending on the amount of clothes and materials and items being dried.
\*5 Tested by Hitachi. Tested Model: BD-D120XGV. Tested Program: AI Wash / Wash & Bry of Sug for Sun-Dried after Wash and AI Wash / Wash & Dry 5 kg for with Wind Iron. The performance may differ depending on the amount of clothes and materials and the combination of laundry being dried.

1



Shirt / Cotton 100%



Sun-Dried after Wash With Wind iron Towels / Cotton 100%

# Wash & Dry 60<sup>\*1</sup>

Save Time with Your Laundry

Washing and drying can be finished in just 60 minutes.



The image is for illustrative purposes only.

### Washer Dryer (BD-D120XGV, BD-D120GV, BD-D100GV) Washer (BD-120XGV, BD-120GV, BD-100GV)

# Al Wash

### **Optimal Washing with** 8 Smart Sensing

Smart washing and clean result without troublesome settings required. The washing method and operating time are automatically determined according to various washing conditions such as the type of detergent, the textile of the laundry items, etc.



The image is for illustrative purposes only

# Steam Iron\*2

## Wrinkle and Odour Removal\*3 in Only 15 Minutes

Suitable for busy mornings and before going out. Steam Iron program guickly and gently reduces wrinkles in folded clothes. Two shirts take only 15 minutes. This program reduces wrinkles in folded clothes and removes odours by making a high-humidity environment inside the drum and by applying a high-speed airflow to the clothes.



\* The image is for illustrative purposes only

# Air Wash<sup>\*4</sup>

## Clean and Deodorise Items<sup>\*5</sup> That Cannot Be Washed Easily

For items that cannot be washed easily, now you can keep them clean without deteriorating to prevent deformation in items like suits, stuffed toys, and shoes. With Air Wash, heated and moisturised air reduces bacteria<sup>\*6</sup> and suppresses virus activities,<sup>\*7</sup> and also deodorises the items.




\*1 For loads under 1 kg of clothes such as 4 shirts. The performance may differ depending on the type and materials of clothes.

- \*2 For loads under 0.5 kg of dry clothes.
- '3 The effect may differ depending on the materials of laundry items. Not all kinds of wrinkles and odours can be removed \*4 For loads under 1 kg. Items such as leather and sponge materials cannot be washed.
- \*5 Not all kinds of odours, viruses and bacteria can be removed or suppressed.
- \*6 Air Wash [Maximum load: 1 kg; Required time (quide): 60 min] Test laboratory: Kitasato Research Center for Environmental Science / Document Number: 2021 0257 / Test method: Measurement of the rate of decrease of bacteria on plates attached to the test cloth. / Test result: Bacteria reduction rate of 99%. \*7 Air Wash [Maximum load: 1 kg; Required time (guide): 60 min] Test laboratory: Kitasato Research Center for Environmental Science / Document Number: 2021\_0257 / Test method: Measurement of the rate
- of decrease of viruses on plates attached to the test cloth. / Test result: Virus reduction rate of 99%

# Sensing for AI Wash to Make Your Laundry Smart

Al Wash automatically determines the washing method and time depending on various washing conditions. You can do your laundry smartly and cleanly without detailed settings required.



## 8 Sensing for AI Wash



### Amount of Clothes

Set to the appropriate water level according to the amount of clothes.



### Water Hardness / Water Temperature


Adjust the amount of detergent<sup>\*9</sup> and washing time according to the hardness and temperature of the water



### Detergent<sup>\*10</sup>

Change washing control suitable for liquid detergent or powder detergent.

\*8 Tested by Hitachi. Tested model: BD-120XGV. Tested program: Al Wash. When washing 7.2 kg (60% of washing loading capacity). The effect varies depending on the type and amount of dirt. \*9 Applies to only BD-D120XGV and BD-120XGV (When the Auto Dosing System function is ON). \*10 It may not be distinguishable depending on the type and amount of detergent.



Stain: Ketchup / Cotton 100%



#### Movement

Adjust tub rotation speed to maximise the cleaning effect.



### Textile

Reduce the amount of water by sensing synthetics.



### **Rinse Condition**

Shorten rinsing time by sensing the rinsing condition




### Spin Condition

Shorten spinning time according to the remaining amount of water.

# Auto Dosing System<sup>\*1</sup>

### **Great Washing Results** with Less Effort

Proper amounts of liquid detergent and fabric softener are automatically dispensed according to the washing loading amount for a clean finish. Also, after dispensing liquid detergent, the route is washed with clean water.



# **Easily Refillable Large Capacity Tank**

Washing 24 times<sup>2</sup> with a single filling of liquid detergent and fabric softener.

(1) Tank for Liquid Detergent: 1,000 mL

<sup>(2)</sup> Tank for Fabric Softener: 600 mL



**Clean Tank** 

The tank is detachable for washing easily with clean water.

# **Easy Navigation**

"Empty" shows the time for refilling at one glance. You can adjust the amount of liquid detergent and fabric softener according to your preference.



\*1 Applies to BD-D120XGV and BD-120XGV.

\*2 When the load is 5 kg and the standard amount setting is the same as the default setting. The number of times you can wash varies depending on the type of liquid detergent / fabric softener, the setting status, the remaining amount in the tank, etc. When the remaining amount in the tank is low ("Empty" on the control panel lights up), refill the liquid. The 24 times includes the number of washings after "Empty" lights up.

# 60°C Hygiene

## Your Clean and Hygienic Clothes<sup>\*3</sup> with the Power of Hot Wash

The built-in heater heats the water to 60°C. Enjoy clean and hygienic clothes for you and your loved ones.

# Bacteria Reduction<sup>\*4</sup>

With 60°C hot water, bacteria are reduced to make your clothes hygienic.

## **Removes Mites and Allergens<sup>\*5</sup>** & Suppresses Virus Activities<sup>\*6</sup>

Suitable for baby laundry. Removes mites and allergens, and also suppresses viruses in fibres with 60°C hot water.

# **Auto Self Clean**

Hygienic Washing Tub for Clothes You Care For

# Allergy UK Approval Mould<sup>\*7</sup> & Bacteria<sup>\*\*</sup> Reduction




Clean water at the bottom of the outer tub is pushed up to clean the entire tub.

### These places easily get dirty\*9




\*3 Not all kinds of bacteria, viruses and mites and allergen can be removed

- \*3 Not all kinds of bacteria, viruses and mites and allergen can be removed.
  \*4 60°C Hygiene [Maximum load: 4 kg; Required time (guide): 157 min] Test laboratory: Kitasato Research Center for Environmental Science / Test Report Number: 2021\_0208 / Test method: Measurement of the rate of decrease of bacteria on plates attached to the test cloth. / Test result: Bacteria reduction rate of 99.99%.
  \*5 60°C Hygiene [Maximum load: 4 kg; Required time (guide): 157 min] Test laboratory: FCG Research Institute, Inc. / Test method: Measurement (Hitachi standards) of dead dust mites stuck to sheets. / Test result: Dust mite death rate of 99%. / Test method: Measurement (Hitachi standards) of dead dust mites stuck to sheets. / Test result: Dust mite death rate of 99%. / Test method: Measurement (Hitachi standards) of dead dust mites stuck to sheets. / Test result: Dust mite death rate of 99%. / Test method: Measurement (Hitachi standards) of dead dust mites stuck to sheets. / Test result: Dust mite death rate of 99%. / Test method: Measurement (Hitachi standards) of dead dust mites stuck to sheets. / Test result: Dust mite death rate of 99%. / Test method: Measurement (Hitachi standards) of dead dust mites stuck to sheets. / Test result: Dust mite death rate of 99%. / Test method: Measurement (Hitachi standards) of dead dust mites stuck to sheets. / Test result: Use of viruses on plates attached to the test cloth. / Test result: Virus reduction rate of 99.99%.
  \*7 Test Laboratory: Kitasato Research Center for Environmental Science / Test Report Number: 2021\_1208 / Test method: be inside of the environmental Science / Test Report Number: 2021\_0192 / Test Method: Measurement of the rate of decrease of mould spores on culture plates attached to the inside of the activity in the unity of u
- and the outside of the stainless steel tub when using the Auto Self Clean function. / Test Object: The outside of the stainless steel tub and the inside of the outer tub. / Test Result: Bacteria reduction rate of 99%. \*9 An old Hitachi model made in Japan without Auto Self Clean function. The level of dirt differs depending on the conditions of use.



\*The image is for illustrative purposes only



\*The image is for illustrative purposes only.

outer tub and the outside of the stainless steel tub when using the Auto Self Clean function. / Test Object: The outside of the stainless steel tub and the inside of the outer tub. / Test Result: Mould reduction rate of 99%. \*8 Test Laboratory: Kitasato Research Center for Environmental Science / Test Report Number: 2021\_1192 / Test Method: Measurement of the rate of decrease of bacteria on plates attached to the inside of the outer tub

# Antibacterial<sup>\*1</sup> & **Mouldproof**<sup>\*2</sup> Shower Lifter and Gasket



Shower Lifter

Gasket

# Hitachi Washer App<sup>\*5\*6</sup>

# IoT Connected<sup>\*7</sup>

Supports washing in cooperation with a smartphone app.

# Notification

Get push notifications for a completed washing operation, clothes remaining in the tub and Tub Wash timing.



# Concierge (Laundry Assistant)

Recommends the washing programs by selecting the type of clothes for your laundry or life scene.





Start operation and check the operation status even when you are not near the washing machine. You can change the end time of the reserved operation before the operation starts.



\*5 Applies to BD-D120XGV and BD-120XGV.

\*16 Not responsible for any damages, loss and default caused by downloading the application. \*7 Requires an internet connection and a wireless LAN router. Use a wireless LAN router that can set WPA2 or WPA (with TKIP or AES) as the encryption method. The communication standards need to correspond to any of IEEE 802.11b/g/n (2.4 GHz only). Email registration is required before using the application. The application is not charged, but communication costs are charged when downloading and using the application. Communication costs will be borne by the customer who has contracted for the smartphone that is used. Please use after agreeing to the terms of use and the privacy policy of the dedicated application. The contents of

services, screen design, functions, etc. of the application may change without notice. Also, the service provided may be terminated without notice \*8 With registration of the washing programs in the washing machine, you can operate without the application. You can save one favourite program and change it depending on your needs \*9 Rinse & Spin program is default-set in the products on shipment.
\*10 When operating the unit from your smartphone, please set to the remote-control standby mode by pressing "Remote" button on the unit.

# **User-friendly Design**



Interior Lighting<sup>\*3</sup>



Panel Door with Wide Opening



**Glass Touch Display** 

\* The image is for illustrative purposes only



# **Dual Vibration Control System +**

The technology has achieved low vibration and low noise operation to not disturb your loved ones even while achieving high-speed spinning of 1,600 RPM and large capacity with a 530 mm diameter washing tub.

### (A) **5-Ply Liquid Load Balancer**

Reduces vibration and vibrating width when the tub rotates.

### **B4-Friction Damper**

Suppresses vibration of the tub and impact transmitted to the floor.

## **3D Acceleration Sensor**

Detects complex vibrations in the front-back, left-right, and up-down directions and adjusts the tub rotating speed to suppress vibrations.



\* The image is for illustrative purposes only.




\*1 Test Laboratory: BOKEN / Test Report Number; 213251774-1, 213237371-1 / Test Method; JIS Z 2801 / Test Object; Shower Lifter and Door Gasket, / Test Result; Antibacterial activity value of 2.0 or more \*2 Test Laboratory: BOKEN / Test Report Number: 213251774-2, 213237371-2 / Test Method: JIS Z 2911 / Test Object: Shower Lifter and Door Gasket. / Test Result: Mould resistance display 0. \*3 Applies to only BD-D120XGV and BD-120XGV <sup>4</sup> Diameter of the inside of the drum.



## **Download Program**<sup>\*8</sup>

Download the washing programs from Hitachi Washer App for your laundry.



### for Washer Dryer

Synthetic / Outdoor / Daily 38 / Silent / Baby Care / Crease Care / Stain Care / Rinse & Spin\*9 / No Tumble Dry / Hot Tub Wash / Tub Dry

### for Washer

Synthetic / Outdoor Baby Care / Rinse & Spin<sup>\*9</sup> / Hot Tub Wash



## **Support**

Easy instruction manuals and maintenance access anytime, anvwhere.











**BD-D120XGV** Wash 12 kg / Dry 8 kg Mauve Gray Features

Wind Iron
Al Wash
Auto Dosing System
Auto Self Clean
Interior Lightning
Hitachi Washer App
Inverter



 BD-D120GV
 BD-D100GV
 Auto Sel

 Wash 12 kg / Dry 8 kg
 Wash 10 kg / Dry 7 kg
 Inverter

 White
 White
 Inverter



Wind Iron
 Al Wash
 Auto Self Clean



Mauve Gray





### Features

- Al WashAuto Dosing System
- Auto Self Clean
- Interior Lightning
- Hitachi Washer App
- Inverter

9



BD-120GV Wash 12 kg White



BD-100GV Wash 10 kg



Features

Al Wash

- Auto Self Clean
- Inverter

# Washer (BD-90XFV, BD-90YAV, BD-W90AV, BD-W85AAE, BD-W75AAE)



# **Powered Inverter**

Quick Washing 45 min / 15 min Programs Available <sup>\*60min for the BD-W90AV.</sup> POWERED



BD-90XFV Metallic Silver





BD-90YAV White



# Dual Vibration Control System Less Noise Operating System from Start to Finish

## **4-Ply Liquid Load Balancer**



If the items in the drum become unevenly balanced, liquid inside the 4-ply chamber moves to the opposite side of the load to offset the imbalance. Making the drum better balanced dramatically reduces vibrations.

# **High-Damping Hydraulic Suspension**



Two oil pressure suspensions, just like the system used in automobiles, support the drum and flexibly change the degree of damping to match the amplitude of vibrations to dramatically reduce them. The support for two suspensions also minimises the transmission of vibration to the washing machine casing.



### 3D Vibration Sensor\* and **Revolution Sensor**

The 3D Vibration Sensor detects drum vibrations in three dimensions. At the same time, the Revolution Sensor constantly monitors drum rotation speed and controls it based on information provided by the 3D Vibration Sensor.


\*Applies to the BD-90XFV and 90YAV.

### **Anti-Vibration Sidewalls**

Even the sidewalls are designed to reduce noise and vibrations

Strength analysis of the casing enables a

design ensuring minimal displacement.



\*The image is for illustrative purposes only

# **Intelligent Sensor Systems**

The Intelligent Sensor Systems detect load size and fabric type to determine both appropriate washing time and amount of water to use. The result is an outstanding washing performance with no wasted energy or water.



BD-90XFV and 90YAV.

#### **3D Vibration Sensor** Detects drum motion in three dimensions, determines the

type of fabric, and working with the Revolution Sensor, controls drum rotation speed to minimise vibrations at all times.



13

### **Revolution Sensor**

Constantly monitors drum rotation speed during washing and spin-drying, working with the 3D Vibration Sensor to maintain optimal rotation speed.



Detects the size of the load and determines the amount of water, the wash time. drum rotation speed, and even when to switch the heater on for optimal energy-saving operation.

### Water Temperature Sensor

Constantly monitors water temperature to maintain the set temperature and prevent energy-wasting overheating.

### Water Level Sensor Sets the optimal water level

to match the load while constantly monitoring conditions to prevent water wastage.

Foam Detection Sensor

Detects excessive foam generated and eliminates it to maintain normal operation.



# **Various Washing Programs**



For daily washing of cotton and linen items such as shirts, underwear, towels, bed linen and table linen.



Mix

Outdoor

**Cotton Eco** 

Daily 45

60

Daily 60

For cotton and linen items. Saves energy and water with a prolonged wash.

lace curtains. Delicate



For washing small loads of lightly soiled and or small items in 15 minutes. It's also ideal for freshening up just-worn clothes.

For washing lightly soiled items in just 45 minutes. Not applicable to the BD-W90AV.

items such as duvets, blankets, bedspreads, etc.

Duvet For washing lightly soiled

For washing normally soiled blouses, shirts, etc. made of polyester, acrylic or blends with cotton.

items in just 60 minutes.

Applies to the BD-W90AV only

Synthetic

# **Options for Various Fine Settings**

### Memory

Intensive

Provides extended

washing time for more

thorough washing of

heavily soiled items.

Allows you to store a customised wash cycle which you use frequently.

Prewash

**Extra Rinse** 

with very hard water, when washing baby linen, and for people allergic to detergent, this option lets you give washing an extra rinse.

Recommended for areas

Prewashes heavily soiled items before the main wash.

Timer

later

Temp

Drain



Lightly soiled items can be washed together with different types of laundry.

Gentle wash program for delicate items such as lingerie and thin

For washing heavily soiled durable clothes such as jeans, sportswear, etc.

For washable large

For emptying out water remaining after the last rinse when using a program with the Rinse Hold option.



Removes allergens such as house dust mites. mold and bacteria. Tested and approved by Allergy Care Allergy UK.



Gentle spin and increased water for easily wrinkled fabrics.

**Crease Care** 



For rinsing and spin-drying only, recommended for hand washed items.

### **Rinse & Spin**



Use to spin-dry hand washed items, or after using Rinse Hold.



For cleaning the inside of the washing machine. Using this cycle regularly keeps the tub clean and prevents the growth of mould.

Enables temperature setting from cold up to 90°C. When you select cold, the heater switches off.

Lets you program a wash to finish up to 24 hours

### **Rinse Hold**

Laundry remains in the last rinse water without progressing to the final spin cycle to prevent the clothes from wrinkling.

### Spin

Enables spin speed setting from 0 to Max r/min. By selecting '0' (No Spin) the water is drained out only. which is recommended for delicate fabrics.

# **User-Friendly Functions**

## **LED Multi Functional Display**

Easy pictographic option menu and program indicators.

# Self Correction System

During operation, if a lot of foam develops or the tub becomes unbalanced preventing the regular spin-drying, operation is automatically corrected.







Enables easy loading and unloading of items for extra convenience.



# **Tangle-Free Finish**

When the spin cycle ends, the drum repeatedly moves clockwise and counter clockwise, first making items fall off the drum wall and then untangling them. This unique Hitachi feature makes it much easier to remove clothes from the drum. \*Tangle-Free Finish will not be activated with certain load capacities or settings

# **Easy Reloading**

When you want to add more items halfway through the wash cycle, all you do is to press the "Start / Pause" button and add them to the drum, press it again to resume the washing. This is convenient when you find some items left after the cycle started.



### **Auto Power Off**

To avoid wasting energy, power is automatically switched off after operation.



### **Fully Auto Restart**

In the event of a power cutoff, the phase of the laundry cycle (wash / rinse / spin) is remembered. When power is restored, it automatically restarts from the beginning of the last phase. \*Semi Auto Restart for the BD-W85AAE and W75AAE.



### Standby Power Zero W When not operating. Hitachi front loading

washers use no electricity.




Child Lock Disables the operation buttons and dial. and also locks the door.



Water Leak Detection (Optional) Stops the supply of water automatically. The user is alerted when there's a leak.

# **Under-Counter Installation**





Protective

## **Removable Worktop**

The worktop of 30 mm is detachable for neat installation under a counter. The 560 mm deep, 8.0 / 7.5 kg models are just right for the standard counter size.

\*If the height of the under counter space is between 823 mm and 852 mm. please remove the worktop and place a top plate (optional) for a proper installation

## **Safety Measures That Go One Step Beyond** Adhering to the strict manufacturing and engineering practices, Hitachi is doing everything possible to protect your valued property.





Safety measures for the printed circuit boards





\*The image is for illustrative purposes only



If you intend to install the unit under a counter. a minimum clearance of 3 mm for the top and back as well as 6 mm on both sides is required. If there is too much space between the top of the unit and the counter, you can use the four adjustable leveling feet to make the unit up to 12 mm taller for a precise fit under counters of various heights. \*Image is for W75AAE only. \*The image is for illustrative purposes only

### Heat Protective Cover



You will never burn yourself from accidentally touching when in operation. \*Applies to the BD-90XFV only

### Washer



BD-90XFV 9.0 kg

POWERED INVERTER 1,600 rpm

POWERED

INVERTER

1,200 rpm



Metallic Silver

BD-90YAV 9.0 kg



White

#### Features Powered Inverter

- Auto Self Clean Big Drum 510
- Dual Vibration Control System
- Intelligent Sensor Systems • 3D Sensor Control Wash
- LED Multi Functional Display 180° Open Door
- Self Correction System
- Tangle-Free Finish Reload
- Heat Protective Cover

### **Control Panel**



- Auto Power Off
  - Standby Power Zero W

Special Programs

Optional Menus

Rinse Hold

Mix / Daily 45 / Duvet /

Memory / Timer / Intensive /

Prewash / Extra Rinse /

Allergy Care / Crease Care

• Auto Power Off

16 Programs

• Fully Auto Restart

Special Programs

Optional Menus

Rinse Hold

Mix / Daily 45 / Duvet /

Memory / Timer / Intensive /

Prewash / Extra Rinse /

Allergy Care / Crease Care

• Standby Power Zero W

- Fully Auto Restart • 16 Programs
- Dual Vibration Control System Intelligent Sensor Systems
- 3D Sensor Control Wash
- LED Multi Functional Display 180° Open Door
- Self Correction System
- Tangle-Free Finish Reload


Features

Powered Inverter

Auto Self Clean

• Big Drum 510

### **Control Panel**



### BD-W90AV 9.0 kg

### POWERED **INVERTER**













- - Tangle-Free Finish
  - Reload • Auto Power Off



### BD-W85AAE 8.5 kg BD-W75AAE 7.5 kg

White 8.5kg

### 1,200 rpm

- 180° Open Door
- Reload
- Auto Power Off

# **Control Panel** Crease Care — Allergy Care — Outdoor — Tub Clean — Rinse & Spin — Spin —

# Designed for Your Peace of Mind

White 7.5kg



#### Allergy UK The Auto Self Clean function has been awarded the Seal of Approval by Allergy UK. By reducing mould and bacteria.




#### Features

- Powered Inverter
- Auto Self Clean
- Big Drum 510
- Dual Vibration Control System
- Intelligent Sensor Systems
- LED Multi Functional Display • 180° Open Door
- Self Correction System


### **Control Panel**

- Standby Power Zero W
- Fully Auto Restart
- 16 Programs
- Special Programs Mix / Daily 60 / Duvet / Allergy Care / Crease Care
- Optional Menus Memory / Timer / Intensive / Prewash / Extra Rinse / Rinse Hold



#### Features

- Auto Self Clean
- Big Drum 510
- Dual Vibration Control System
- Intelligent Sensor Systems
- LED Multi Functional Display
- Self Correction System
- Tangle-Free Finish
- Standby Power Zero W



- Semi Auto Restart
- 16 Programs
- Special Programs Mix / Daily 45 / Duvet / Allergy Care / Crease Care
- Optional Menus Memory / Timer / Intensive / Prewash / Extra Rinse / Rinse Hold

# **Ready to Remove Any Dirt Thoroughly**

# **Selectable Stain Level**

You can select from the three options of High / Medium (Mid.) / Low, depending on the level of stains on your laundry. Each has different wash time to remove dirt and stains efficiently.



For heavily soiled items or greasy stains,



low

wash them away thoroughly. For daily washing.

For lightly soiled items, giving them a quick wash. Shorter wash time means less damage to fabrics.





## Lifter and Drum Design for **High Washing Efficiency**

The uniquely shaped lifter and the drum patterns provide a wash board effect for a highly efficient washing.

# Ways to Keep Your Washing Machine Clean

## **Door Clean**

During the spin cycle, foam or detergent residue that is left on the glass door and gasket can be thoroughly washed away with clean water. No need to clean them yourself.

# 90°C Tub Cleaning

Select the Tub Clean program and it cleans the inside tubs with 90°C hot water. The high temperature strong water flow washes the gap between inner and outer drums, keeping them clean and hygienic.





\*The image is for illustrative purposes only.



### Antibacterial Gasket The gasket features antibacterial materials.

Test laboratory: Jiangsu JCT Testing Technology Services CO., LTD. / Test report number: JCT191209-007 / Test method: After culturing according to GB21551,2-2010, the number of viable bacteria are measured, and the antibacterial rate of the sample is compared and calculated. / Test object Door Gasket / Test result: Mildew proof level 0, Antibacterial rate is 99.99% and more

# **For Your Convenience**

## **Time Saver Programs**

Equipped with three quick wash programs.



Extra short 15-minute program suitable for lightly soiled items or small loads.



For washing lightly soiled items or small loads in a short 45 minutes.



60 Daily 60

For washing lightly soiled items or small loads quickly in 60 minutes.


# **Tangle-Free Finish**

When the spin cycle ends, the drum repeatedly moves clockwise and counter clockwise, first making items fall off the drum wall and then untangling them. This feature makes it much easier to remove clothes from the drum. Minimal Tangling means fewer wrinkles on clothes left in the drum for a long time after spin-drying.

\*Tangle-Free Finish will not be activated with certain load capacities or settings.

# **Reload Function**

When you want to add more items halfway through the wash cycle, all you do is to press the "Start / Pause" button for three seconds and add them to the drum, press it again to resume the washing. This is convenient when you find some items left after the cycle started.



19



\*The image is for illustrative purposes only



### BD-80CE 8.0 kg BD-70CE 7.0 kg

1,200 rpm



- Selectable Stain Level Door Clean LED Multi Functional Display Tangle-Free Finish
- Auto Power Off
- Fully Auto Restart
- 15 Programs Special Programs 90°C Tub Clean / Baby Care / Rapid 15 / Daily 45 / Daily 60
- Optional Menus Timer / Stain Level Prewash / Extra Rinse

### **Specifications**

|                                      |                                 | Washer Dryer  |  |    | Washer  |           |         |  |
|--------------------------------------|---------------------------------|---|--|----|---|-----------|---------|--|
| Model                                | lel                             |   | BD-D120XGV BD-D120GV                         |    | BD-120XGV   | BD-120GV  | BD-100G |  |
| Capacity                             | Washing Capacity (kg)           | 12  | 12   | 10 | 12  | 12        | 10      |  |
|                                      | Drying Capacity (kg)            | 8   | 8  | 7  | -   | -         | -       |  |
| General                              | Colour                          | Mauve Gray White                                      |  |    | Mauve Gray White                                      |           |         |  |
|                                      | Interface                       | Glass Touch Switch                                    |  |    | Glass Touch Switch                                    |           |         |  |
|                                      | Drum Type                       | Big Drum 530 mm Diameter                              |  |    | Big Drum 530 mm Diameter                              |           |         |  |
|                                      | Gasket                          | Antibacterial <sup>11</sup> & Mouldproof <sup>2</sup> |  |    | Antibacterial <sup>11</sup> & Mouldproof <sup>2</sup> |           |         |  |
|                                      | Shower Lifter                   |   | ial <sup>*1</sup> & Mouldproof <sup>*2</sup> |    | Antibacterial <sup>1</sup> & Mouldproof <sup>2</sup>  |           |         |  |
|                                      | Wide Opening Door               | 7 111040101   |  |    |   |           |         |  |
|                                      | Inverter                        |   | •  |    | •   |           |         |  |
|                                      | Dual Vibration Control System + |   | •  |    |   | •         |         |  |
| Performance                          | LabelNo.5                       | WELS 4-ticks  |  |    | WELS 4-ticks  |           |         |  |
| eature                               | Reload                          | VVL   | •  |    | 11  | •         |         |  |
| eature                               | Prewash                         |   | •  |    |   | •         |         |  |
|                                      |                                 |   | -  |    |   | •         |         |  |
|                                      | Intensive                       |   | •  |    |   | •         |         |  |
|                                      | Rinse Hold                      |   | -  |    |   | •         |         |  |
|                                      | Rinse Count                     | •   |  |    | •   |           |         |  |
|                                      | Max Spin Speed (RPM)            | 0.11/0000   | 1,600  |    | 1,600   |           |         |  |
|                                      | Water Temperature               | Cold / 30°C / 40°C / 60°C / 90°C                      |  |    | Cold / 30°C / 40°C / 60°C / 90°C                      |           |         |  |
|                                      | Child Lock                      |   | •  |    |   | •         |         |  |
|                                      | Timer                           |   | •  |    |   | •         |         |  |
|                                      | Auto Self Clean                 |   | •  |    |   | •         |         |  |
|                                      | Interior Lighting               | •   | • – •  |    |   | -         |         |  |
|                                      | Memory (Program+Setting)        |   | •  |    | •   |           |         |  |
| rying Feature                        | Wind Iron                       |   | •  |    |   | -         |         |  |
|                                      | Time Dry                        | •   |  |    |   | -         |         |  |
|                                      | Dry Option                      | Low Te  | mp. / Extra Dry                              |    |   | -         |         |  |
| Auto Dosing System                   | Liquid Detergent                | •   |  | -  | •   |           | _       |  |
|                                      | Fabric Softener                 | •   |  | -  | ٠   |           | _       |  |
|                                      | Low Level Notification          | •   |  | -  | •   | -         | _       |  |
|                                      | Adjust Function                 | More / Less   |  | -  | More / Less   |           | _       |  |
| Smartphone App                       | Hitachi Washer App              | •   |  | -  | •   |           | _       |  |
| Program (●)                          | Al Wash                         | •   |  |    | •   |           | •       |  |
|                                      | Cotton                          | •   |  |    | •   |           | •       |  |
| Download (⊖)<br>Program <sup>™</sup> | Synthetic                       | 0   |  | -  | 0   |           | _       |  |
| Togram                               | Delicate                        | •   |  |    | •   |           |         |  |
|                                      | Wool                            | •   |  |    | •   |           |         |  |
|                                      | Duvet                           | •   |  |    | •   |           | •       |  |
|                                      | Outdoor                         | 0   |  |    | 0   |           | _       |  |
|                                      | Rapid 15                        | •   |  |    | •   | -         |         |  |
|                                      | Daily 38                        | 0   |  | -  |   |           |         |  |
|                                      | Silent                          | 0   |  |    | •   |           |         |  |
|                                      |                                 | -   |  |    |   |           |         |  |
|                                      | Baby Care                       | 0   |  |    |   |           | -       |  |
|                                      | Crease Care                     | 0   |  |    | •   |           | •       |  |
|                                      | Stain Care                      |   |  | -  | •   | -         |         |  |
|                                      | 60°C Hygiene                    | •   |  |    | •   |           | •       |  |
|                                      | Air Wash                        | •   |  |    | -   |           | _       |  |
|                                      | Steam Iron                      | •   |  |    | -   |           | _       |  |
|                                      | Spin                            | •   |  |    | •   |           | •       |  |
|                                      | Rinse & Spin                    | 0   |  | -  | 0   |           | _       |  |
|                                      | Wash & Dry 60                   | •   |  |    | -   | · · ·     | _       |  |
|                                      | Dry Only                        | •   |  |    | -   | -         | _       |  |
|                                      | No Tumble Dry                   | 0   |  | -  | -   |           | _       |  |
|                                      | Tub Wash                        | •   |  |    | ٠   |           | •       |  |
|                                      | Hot Tub Wash                    | 0   | -  | -  | 0   |           | _       |  |
|                                      | Tub Dry                         | 0   |  | -  | -   |           | _       |  |
|                                      | Download (default:Rinse & Spin) | •   |  | -  | •   |           | _       |  |
| Dimensions (mm)                      | Width x Depth x Height          | 600   | x 650 x 850                                  |    | 600 x   | 650 x 850 |         |  |
|                                      | (q)                             |   | 72 / 77                                      |    |   | 68 / 73   |         |  |


|   |   |   |  |   | Auto Self Clean Series  |   |   |
|---|---|---|--|---|---|---|---|
| Model   |   |   | BD-90XFV   | BD-90YAV  | BD-W90AV  | BD-W85AAE   | BD-W75AAE   |
| Washing Capacity (kg)   |   | 9.0                                       | 9.0  | 9.0   | 8.5   | 7.5   |   |
| Inverter Control  |   | •   | •  | •   | _   | -   |   |
| Washing Functions   | ashing Functions Washing Process  |   | 3D Sensor C  | Control Wash  | -   | -   | -   |
|   | Intelligent   | Water Level Sensor                        | •  | •   | •   | •   | •   |
|   | Sensor<br>Systems   | Water Temperature Sensor                  | •  | •   | •   | •   | •   |
|   |   | 3D Vibration Sensor                       | •  | •   | -   | _   | -   |
|   |   | Load Sensor                               | •  | •   | •   | •   | •   |
|   |   | Revolution Sensor                         | •  | •   | •   | •   | •   |
|   |   | Foam Detection Sensor                     | •  | •   | •   | •   | •   |
|   | Vibration   | 4-Ply Liquid Load Balancer                | •  | •   | •   | •   | •   |
|   | Control System  | Hydraulic Suspensions                     | •  | •   | •   | •   | •   |
|   | Self Correction S   | System                                    | •  | •   | •   | •   | •   |
| Spin Function   |   | Max. Spin Speed (r/min)                   | 1,600  | 1,200   | 1,000   | 1,200   | 1,200   |
|   |   | Variable Spin Control                     | •  | •   | •   | •   | •   |
|   |   | Tangle-Free Finish                        | •  | •   | •   | •   | •   |
| Useful Functions  | Memory  |   | •  | •   | •   | •   | •   |
|   | Timer   |   | •  | •   | •   | •   | •   |
|   | Option  | Water Temperature                         | Cold / 30°C / 40°C /<br>60°C / 90°C  | Cold / 30°C / 40°C /<br>60°C / 90°C   | Cold / 30°C / 40°C /<br>60°C / 90°C   | Cold / 30°C / 40°C /<br>60°C / 90°C   | Cold / 30°C / 40°<br>60°C / 90°C  |
|   |   | Spin Speed (r/min)                        | 0 / 400 / 800 /<br>1000 /1600  | 0 / 400 / 800 /<br>1000 / 1200  | 0 / 400 / 600 /<br>800 / 1000   | 0 / 400 / 600 /<br>800 / 1000   | 0 / 400 / 600 /<br>800 / 1000   |
|   |   | Intensive                                 | •  | •   | •   | •   | •   |
|   |   | Prewash                                   | •  | •   | •   | •   | •   |
|   |   | Extra Rinse                               | •  | •   | •   | •   | •   |
|   |   | Rinse Hold                                | •  | •   | •   | •   | •   |
| Clean Functions   | Auto Self Clean (Allergy UK Approved)   |   | •  | •   | •   | •   | •   |
|   | Tub Clean   |   | ● (40°C)   | ● (40°C)  | ● (40°C)  | ● (40°C)  | ● (40°C)  |
|   | Antibacterial Material  |   | Shower Lifter<br>Gasket  | Shower Lifter<br>Gasket   | Shower Lifter<br>Gasket   | Shower Lifter<br>Gasket   | Shower Lifter<br>Gasket   |
|   | Door Clean  |   | •  | •   | •   | •   | •   |
| Washing Programs  |   | No. of Program                            | 16   | 16  | 16  | 16  | 16  |
|   |   |   | Cotton / Mix<br>Daily 45 / Rapid 15<br>Synthetic / Delicate<br>Outdoor / Duvet<br>Crease Care<br>Cotton Eco / Wool<br>Allergy Care<br>Tub Clean<br>Rinse & Spin  | Cotton / Mix<br>Daily 45 / Rapid 15<br>Synthetic / Delicate<br>Outdoor / Duvet<br>Crease Care<br>Cotton Eco / Wool<br>Allergy Care<br>Tub Clean<br>Rinse & Spin | Cotton / Mix<br>Daily 60 / Rapid 15<br>Synthetic / Delicate<br>Outdoor / Duvet<br>Crease Care<br>Cotton Eco / Wool<br>Allergy Care<br>Tub Clean<br>Rinse & Spin | Cotton / Mix<br>Daily 45 / Rapid 15<br>Synthetic / Delicate<br>Outdoor / Duvet<br>Crease Care<br>Cotton Eco / Wool<br>Allergy Care<br>Tub Clean<br>Rinse & Spin | Cotton / Mix<br>Daily 45 / Rapid<br>Synthetic / Delica<br>Outdoor / Duve<br>Crease Care<br>Cotton Eco / Wo<br>Allergy Care<br>Tub Clean |
|   |   |   | Spin / Drain   | Spin / Drain  | Spin / Drain  | Spin / Drain  | Rinse & Spin<br>Spin / Drain  |
| Structuro   | Hoat Protoctive   | Cover                                     | Spin / Drain   |   |   |   |   |
| Structure   | Heat Protective   | Cover                                     | Spin / Drain   | Spin / Drain<br>–   | Spin / Drain<br>–   | Spin / Drain<br>–   | Spin / Drain  |
| Structure   | Control Panel<br>Detergent Drawe  | 9r  | Spin / Drain   |   |   |   |   |
|   | Control Panel   | 9r  | Spin / Drain  LED / Knob   | Spin / Drain<br>–<br>LED / Knob<br>All-in-One   | Spin / Drain<br>–<br>LED / Knob   | Spin / Drain<br>–<br>LED / Knob<br>All-in-One   | Spin / Drain<br>–<br>LED / Knob   |
| Reload  | Control Panel<br>Detergent Drawer<br>Softener Drawer  | 9r  | Spin / Drain<br>LED / Knob<br>All-in-One   | Spin / Drain<br>-<br>LED / Knob<br>All-in-One   | Spin / Drain<br>-<br>LED / Knob<br>All-in-One   | Spin / Drain<br>-<br>LED / Knob<br>All-in-One   | Spin / Drain<br>-<br>LED / Knob<br>All-in-One   |
| Reload<br>Standby Power Zero  | Control Panel<br>Detergent Drawer<br>Softener Drawer  | 9r  | Spin / Drain<br>LED / Knob<br>All-in-One   | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•  | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•  | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•  | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•  |
| Reload<br>Standby Power Zerc<br>Auto Restart  | Control Panel<br>Detergent Drawer<br>Softener Drawer  | 9r  | Spin / Drain<br>LED / Knob<br>All-in-One   | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•  | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•  | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•  | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•  |
| Reload<br>Standby Power Zerc<br>Auto Restart<br>Auto Power Off  | Control Panel<br>Detergent Drawer<br>Softener Drawer  | 9r  | Spin / Drain<br>LED / Knob<br>All-in-One   | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•<br>•<br>•  | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•<br>•<br>•  | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•  | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•                          |
| Reload<br>Standby Power Zerc<br>Auto Restart<br>Auto Power Off<br>Child Lock  | Control Panel<br>Detergent Drawer<br>Softener Drawer  | 9r  | Spin / Drain<br>LED / Knob<br>All-in-One   | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•<br>•<br>•<br>•<br>•  | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•<br>•<br>•<br>•<br>•<br>•   | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•  | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•                          |
| Reload<br>Standby Power Zerc<br>Auto Restart<br>Auto Power Off<br>Child Lock<br>Safety lock   | Control Panel<br>Detergent Drawe<br>Softener Drawer   | 9r  | Spin / Drain<br>LED / Knob<br>All-in-One   | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•  | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•  | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>(Semi)<br>(Semi)<br>(Semi)   | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>(Semi)<br>(Semi)<br>(Semi)   |
| Reload<br>Standby Power Zerc<br>Auto Restart<br>Auto Power Off<br>Child Lock<br>Safety lock<br>Energy Consumption   | Control Panel<br>Detergent Drawer<br>Softener Drawer  | 9r  | Spin / Drain<br>LED / Knob<br>All-in-One   | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>0<br>0<br>0<br>0<br>0.86   | Spin / Drain<br>-<br>LED / Knob<br>All-in-One   | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>(Semi)<br>(Semi)<br>0.98   | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>(Semi)<br>(Semi)<br>0.92   |
| Reload<br>Standby Power Zerc<br>Auto Restart<br>Auto Power Off<br>Child Lock<br>Safety lock<br>Energy Consumption<br>Water Consumption  | Control Panel<br>Detergent Drawer<br>Softener Drawer  | 9r  | Spin / Drain<br>LED / Knob<br>All-in-One   | Spin / Drain<br>-<br>LED / Knob<br>All-in-One   | Spin / Drain<br>-<br>LED / Knob<br>All-in-One   | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>(Semi)<br>(Semi)<br>0.98<br>41   | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>(Semi)<br>(Semi)<br>0.92<br>32   |
| Reload<br>Standby Power Zerc<br>Auto Restart<br>Auto Power Off<br>Child Lock<br>Safety lock<br>Energy Consumption<br>Water Consumption  | Control Panel<br>Detergent Drawer<br>Softener Drawer  | er<br>Width x Depth x Height              | Spin / Drain<br>LED / Knob<br>All-in-One   | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•  | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•  | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>(Semi)<br>(Semi)<br>0.98<br>41<br>600 ×850 × 624   | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>(Semi)<br>(Semi)<br>(Semi)<br>0.92<br>32<br>600 × 850 × 58                             |
| Reload<br>Standby Power Zerc<br>Auto Restart<br>Auto Power Off<br>Child Lock<br>Safety lock<br>Energy Consumption<br>Water Consumption<br>Dimensions (mm)*2   | Control Panel<br>Detergent Drawer<br>Softener Drawer<br>D W<br>n (kWh / Cycle)*1<br>(L / Cycle)*1 | width x Depth x Height<br>Without Worktop | Spin / Drain<br>LED / Knob<br>All-in-One   | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•  | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•  | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>(Semi)<br>(Semi)<br>0.98<br>41<br>600 ×850 × 624<br>600 ×820 × 624   | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>(Semi)<br>(Semi)<br>0.92<br>32<br>600 × 850 × 58<br>600 × 820 × 58                     |
| Structure<br>Reload<br>Standby Power Zerc<br>Auto Restart<br>Auto Power Off<br>Child Lock<br>Safety lock<br>Energy Consumption<br>Water Consumption<br>Dimensions (mm)*2<br>Minimum Installation<br>Body Colour | Control Panel<br>Detergent Drawer<br>Softener Drawer<br>D W<br>n (kWh / Cycle)*1<br>(L / Cycle)*1 | er<br>Width x Depth x Height              | Spin / Drain<br>LED / Knob<br>All-in-One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>One<br>On | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•  | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•<br>•  | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>(Semi)<br>(Semi)<br>0.98<br>41<br>600 ×850 × 624<br>600 ×820 × 624<br>606 ×823 × 603                           | Spin / Drain<br>-<br>LED / Knob<br>All-in-One<br>(Semi)<br>(Semi)<br>0.92   |

\*1 Based on COMMISSION DELEGATED REGULATION (EU) No 1061/2010 \*2 Including drain hose and water supply hose


\*1 Test Laboratory: BOKEN / Test Report Number: 213251774-1, 213237371-1 / Test Method: JIS Z 2801 / Test Object: Shower Lifter and Door Gasket / Test Result: Antibacterial activity value of 2.0 or more. \*2 Test Laboratory: BOKEN / Test Report Number: 213251774-2, 213237371-2 / Test Method: JIS Z 2911 / Test Object: Shower Lifter and Door Gasket / Test Result: Mould resistance display 0. \*3 Applicable when downloading. With registration of the washing programs in the washing machine, you can operate without the application. You can save one favourite program and change it depending on your needs.

#### Dimensions (mm)

#### BD-D120XGV / BD-120XGV



\* Max. depth when the door is closed: 650



\* Max. depth when the door is closed: 650

